



## **HDE** commercial guarantee

## 1. SCOPE

In addition to the Legal Guarantee, HORSE DENTAL EQUIPMENT (HDE) offers practitioners an HDE Commercial Guarantee which applies to all new HDE-branded hand-held power equipment purchased by the practitioner from HDE or one of its official distributors\*, from June 1st, 2016.

## 2. DEFINITION

### a) Product Commercial Guarantee

HDE guarantees to the practitioner the breakage of his/her HDE-branded hand-held power equipment for a 12-month period following its date of purchase from HDE or one of its official distributors\*. This guarantee applies to:

- Broken parts (except "wear" parts paragraph 3.b)
- Labour costs
- Transport costs.

### b) After-Sales Service Commercial Guarantee

All repairs made by HDE on HDE hand-held power equipment are guaranteed 6 months.

This guarantee covers:

- Broken parts replaced in the last 6 months (except "wear" parts paragraph 3.b)
- Labour costs for the replacement of these parts
- Transport costs.

### c) Free annual check-up

After the initial 12-month period of guarantee, HDE or Official Technical Centers\* offer one Free Annual Check-up to extend the life of your equipment. It includes the following:

- Complete test of the equipment
- Disassembly
- Control of bearings, gears, seals, transmission cables, diamond disc, electrical connections, springs
- Cleaning
- Greasing
- Reassembly

Labour costs are free of charge, transport costs are at the practitioner's expense.

This free check-up is valid once a year (calendar year).

Further to this check-up, in case repairs are required, spare parts, repair labour and transportation costs are at the practitioner's expense. In which case, an estimate will be sent for approval before any repair is done.

### 3. IMPLEMENTATION

## a) Product registration

The product commercial guarantee, the after-sales service commercial guarantee and the annual check-up will only be implemented if HDE products are registered on HDE's website within 15 days following the purchase by the practitioner from HDE or one of its official distributors\*.

### b) Disclamer

The commercial guarantee applies to all HDE hand-held power equipment except:

A – Following wear parts:

- Diamond coating (Flexxidisc, Polyfloat burrs, axle burrs...)
- Gears (Flexxidisc and Polyfloat)
- B If the problem is caused by an accident
- C If the damage is caused by the user
- D If the user fails to comply with the instructions manual and/or HDE cleaning recommendations\*
- E If the serial number of the product is removed or modified
- F If the product is not disassembled in an Official HDE Technical Center\* or modified with non-HDE parts
- G If the product was not registered on HDE's website within 15 days after its purchase by the practitioner

## COMPLETE MOTORIZED SETS



## **Complete motorized sets**

**Compact Sets** 

## NEW

## **SET LEVEL 1 - COMPACT**

### SET L1C

- N1 engine (complete set)
- Quickflex drive shaft 1.20 m for N1 engine
- COMPACT Flexxidisc curved twist
- Stainless steel brush with holder
- Instrument case











## NEW

## **SET LEVEL 2 - COMPACT**

## SET\_L2C\*

- EVOLUTION engine (complete set) with light jacket
- Quickflex drive shaft 1.20 m for EVOLUTION engine
- COMPACT Flexxidisc curved twist
- Handpiece for the 06s
- Stainless steel brush with holder
- Trolley instrument case











<sup>\*</sup> From September 1st 2022, this set will be delivered with a LIGHT jacket as a standard.

## **Complete motorized sets**

**Compact Sets** 

## NEW

## **SET LEVEL 3 - COMPACT**

### SET L3C\*

- EVOLUTION engine (complete set) with light jacket
- Quickflex drive shaft 1.20 m for EVOLUTION engine
- COMPACT Flexxidisc curved twist
- COMPACT Polyfloat straight (without burr)
- COMPACT Applecore Ø14
- Handpiece for the 06s
- Stainless steel brush with holder
- Trolley instrument case















## NEW

## **SET LEVEL 4 - COMPACT**

## SET\_L4C\*

- EVOLUTION engine (complete set) with light jacket
- Quickflex drive shaft 1.20 m for EVOLUTION engine
- COMPACT Flexxidisc curved twist
- COMPACT Polyfloat straight (without burr)
- COMPACT Applecore Ø14
- COMPACT Occlusal burr
- COMPACT Diastema burr long
- COMPACT Conical burr long model
- Handpiece for the 06s
- Handpiece for the 11s Straight long with open head protection
- Stainless steel brush with holder
- Trolley instrument case




















## **Complete motorized sets**

**Classic Sets** 

## **Complete motorized sets**

**Classic Sets** 

### **SET LEVEL 1 - CLASSIC**

### SET L1

- N1 engine (complete set)
- Quickflex reinforced drive shaft with spring 1.20 m
- CLASSIC Flexxidisc long curved twist
- Stainless steel brush with holder
- Instrument case













## **SET LEVEL 3 - CLASSIC**

### SET\_L3\*

- EVOLUTION engine (complete set) with light jacket
- Quickflex reinforced drive shaft with spring 1.20 m
- CLASSIC Flexxidisc long curved twist
- CLASSIC Polyfloat long straight twist (without burr)
- CLASSIC Polyfloat applecore Ø 14
- Handpiece for the 06s
- Stainless steel brush with holder
- Trolley instrument case



Also available with Watercooling

SET\_L3IR













## **SET LEVEL 2 - CLASSIC**

## SET L2\*

- EVOLUTION engine (complete set) with light jacket
- Quickflex reinforced drive shaft with spring 1.20 m
- CLASSIC Flexxidisc long curved twist
- Handpiece for the 06s
- Stainless steel brush with holder
- Trolley instrument case















### \* From September 1st 2022, this set will be delivered with a LIGHT jacket as a standard.

## **SET LEVEL 4 - CLASSIC**

## SET\_L4\*

- EVOLUTION engine (complete set) with light jacket
- Quickflex reinforced drive shaft with spring 1.20 m
- CLASSIC Flexxidisc long curved twist
- CLASSIC Polyfloat long straight twist (without burr)
- CLASSIC Polyfloat applecore Ø 14
- CLASSIC Polyfloat occlusal burr
- CLASSIC Polyfloat long versatile cylindrical burr
- CLASSIC Polyfloat conical burr long model
- Handpiece for the 06s
- Handpiece for the 11s Straight long with open head protection
- Stainless steel brush with holder
- Trolley instrument case





















\* From September 1st 2022, this set will be delivered with a LIGHT jacket as a standard.

## **Complete motorized sets**

SET LEVEL 1

Sets

SET LEVEL 4

# COMPACT OR CLASSIC COMPACT OR CLASSIC COMPACT OR CLASSIC Flexxidisc curved long 54 cm

SET LEVEL 2

SET LEVEL 3

## INDIVIDUAL MOTORIZED PROFILING INSTRUMENTS



1(

<sup>\*</sup> From September 1st 2022, this set will be delivered with a LIGHT jacket as a standard.

<sup>\*\*</sup> Watercooling is available exclusively for Classic Flexxidisc and Classic Polyfloat handpieces.

**EVOLUTION Engine** 

## **EVOLUTION ENGINE** (complete unit with jacket)

MEV\_HDEBVEU

Wireless unit: work wherever and whenever you want.

Autonomy: powerful & long-lasting battery for a daily practice (up to 10 horses). Safety: the electronic clutch protects the equipment.

Comfort and versatility: optimum weight distribution on shoulders and waist.

## **EVOLUTION JACKET**

ME\_VME

- Only 400 g
- Very easy to put on and take off
- Cables and connections safely connected within
- Light, breathable fabric
- Machine washable at 30°C







## **ENGINE**

MEV BMEV

- Low tension 24V mobile engine
- 6 speeds (2300 to 6700 rpm)
- Weight: 600 g



## **BATTERY CHARGER**

MEV\_CBEE

UK, Australian and US versions available.

## **LIGHT EVOLUTION JACKET**

ME\_VMEL

Lighter jacket for EVOLUTION engine with removable suspenders and belt.



## LITHIUM ION BATTERY MEV\_BLIE

- Lithium Ion battery
- Autonomy: 10 horses
- Complete loading time: 1h30
- Weight: 815 g



12

## **CONTROL BOX** MEV\_BCEP

Control box with integrated clutch and 3 speeds available for Watercooling.

## **Individual motorized profiling instruments**

### **EVOLUTION QUICKFLEX DRIVE SHAFT**

- Reinforced and silent
- Stainless steel quality
- No shear pins



Length 1 m FLEX\_R90SQE Length 1.20 m FLEX R120SQE Length 1.60 m FLEX\_R160SQE



A rapid fastening Quickflex system adapted to all HDE burrs. Thanks to the integrated clutch in the control box, no need for shear pins.

**EVOLUTION Accessories** 

**EVOLUTION Drive Shafts** 

## **SHEATH**

Right: ACC\_FD Left: ACC\_FG



## **BATTERY CAR CHARGER**

MEV\_CVBE



To charge the battery while travelling.

## **TRANSFORMER**

MEV TEFR





MEV PEVV

Variable speed.

WATERCOOLING is an option which can be adapted to the EVOLUTION engine. Conceived to reduce heating when working on overgrowths as well as minimizing dentine dust.

## KIT WATERCOOLING

KIT KWCVMES

- Capacity: 1.25 L





Watercooling

## **QUICKFLEX DRIVE SHAFT - WATERCOOLING**

- Quickflex reinforced drive shaft w/ spring 1 m for EVOLUTION

- Quickflex reinforced drive shaft w/ spring 1.20 m for EVOLUTION

- Quickflex reinforced drive shaft w/ spring 1.60 m for EVOLUTION

FLEX\_R90SQEIR FLEX\_R120SQEIR FLEX\_R160SQEIR

## **FLEXXIDISC - WATERCOOLING**

- Flexxidisc long straight twist

FRA GF7IR

- Flexxidisc long curved twist FRA\_GF8TIR





### **POLYFLOAT - WATERCOOLING**

- Polyfloat long straight twist (without burr)

- Polyfloat long curved (without burr)

FRA\_GPOLYV2IR
FRA GPOLYCV2IR

14







## **Individual motorized profiling instruments**

Powerful: for a regular equine dentistry practice.

Simplicity: light and worn at the belt, it makes movements easy.

Adjustable speed: the practitioner adapts the speed to the treatment.

Versatile: works with any type of HDE burr.

## N1 ENGINE (complete unit)

MOT\_1CREU

- Power supply 220V or 110V
- 4000 9000 rpm
- Supplied with power cord + belt

European version (Swiss - UK versions available)

## **QUICKFLEX DRIVE SHAFT**

- Quickflex system for a quick fastening, for all HDE drive shafts
- Works with shear pins
- Stainless steel
- Available lengths: 1.20 m 1.60 m



| 1.20 m                          |               |  |
|---------------------------------|---------------|--|
| With stainless steel shear pins | FLEX_R120SQAI |  |



1.60 m
With stainless steel shear pins FLEX\_R160SQAI

## **DRIVE SHAFT SHEAR PINS**



FLEX\_INOX



FLEX\_LAIT

N1 Engine

## STAINLESS STEEL SHEAR PINS

Bag of 20

Recommended with Flexxidisc & Polyfloat.



Bag of 50

Recommended with all axle burrs.

N1 Engine Accessories

## HDE Float

## **QUICK SHEAR PIN**

FLEX\_QA

- Aluminum quality
- The Quick Shear Pin allows to replace shear pins easily
- Shear pins sold separately

## **CLUTCH**

FRA\_LCV3

- The clutch is a protection system for the N1 engine
- Weight: 0.165 kg

Using the clutch not only helps you protect your engine and driveshaft, you won't have to change pins anymore.





**Drive Shaft** 

Clutch

Burr

## SHEATH

Right: ACC\_FD Left: ACC\_FG



N1 ENGINE FOOTSWITCH WITH SPEED CONTROL MOT\_006





16



## The HDE Float is designed for occasional practice of equine dentistry.

**Individual motorized profiling instruments** 

## **HDE FLOAT-CURVED \***

HDEF\_220VCLC

- A full 360° rotation



## **HDE FLOAT-STRAIGHT \***

HDEF\_220VLC

- A full 360° rotation



<sup>\*</sup> Product not available in France and available while stocks last

s as well lentistry Compact Flexxidisc

The Flexxidisc is a versatile burr perfectly adapted for an efficient work on overgrowths as well as for routine profiling. It exists in different shapes and sizes adapted to every type of dentistry practice.

- A high quality diamond disc (± 900 horses).
- Diamond minimizes soft tissus damage.
- The small height of the head eases work on the 11th.
- The 360° rotating head allows optimal access (twist system on the curved version only).
- The curved version follows the natural shape of the jaw, allowing better access in the back of the mouth.
- Easy maintenance (no greasing necessary).

## NEW

## **COMPACT FLEXXIDISC STRAIGHT**

FRA\_FCDD

- Weight: 639 g
- Length: 52 cm



## NEW

## **COMPACT FLEXXIDISC CURVED TWIST**

FRA\_FCDC

- Weight: 639 g
- Length: 52 cm



## NEW

## **COMPACT FLEXXIDISC STRAIGHT - POLYMER HANDLE**

FRA\_PFCDD

- Weight: 503 g
- Length: 52 cm



## NEW

### COMPACT FLEXXIDISC CURVED TWIST - POLYMER HANDLE

FRA\_PFCDC

- Weight: 503 g
- Length: 52 cm

## **Individual motorized profiling instruments**

Classic Flexxidisc

## **CLASSIC FLEXXIDISC SHORT STRAIGHT**

FRA\_F7C

- Length: 18 cm



## CLASSIC FLEXXIDISC STANDARD STRAIGHT

FRA\_F7

- Length: 32 cm



## CLASSIC FLEXXIDISC LONG STRAIGHT

FRA\_GF7

- Weight: 843 g
- Length: 54 cm



## **CLASSIC FLEXXIDISC STANDARD CURVED TWIST**

FRA\_F8T

- Length: 32 cm



## CLASSIC FLEXXIDISC LONG CURVED TWIST

FRA\_GF8T

- Weight: 843 g
- Length: 54 cm



The Polyfloat is a very versatile tool which allows a global dentistry treatment, from routine profiling to decay and diastema treatment, thanks to a complete range of 14 different Classic burrs and 8 Compact burrs (the Polyfloat is delivered wihout burr).

Compact Polyfloat

It exists in different shapes and sizes, adapted to every type of dentistry practice.

- The 360° rotating head allows optimal access (twist system on the curved version only).
- The curved version follows the natural shape of the jaw, allowing better access in the back of the mouth.
- A range of 14 different Classic burrs and 8 Compact burrs for every type of treatment (profiling, decay, diastema. 06s).
- Easy maintenance (no greasing necessary).

## NEW

## **COMPACT POLYFLOAT STRAIGHT**

FRA FCPD

- Weight (without burr): 623 g
- Length: 52 cm



## NEW

## **COMPACT POLYFLOAT CURVED TWIST**

FRA FCPC

- Weight (without burr): 623 g
- Length: 52 cm



## NEW

## **COMPACT POLYFLOAT STRAIGHT - POLYMER HANDLE**

FRA\_PFCPD

- Weight (without burr): 487 g
- Length: 52 cm



### NEW

## **COMPACT POLYFLOAT CURVED TWIST - POLYMER HANDLE**

FRA\_PFCPC

- Weight (without burr): 487 g
- Length: 52 cm



## **Individual motorized profiling instruments**

Classic Polyfloat

Non-contractual pictures: Polyfloat burrs sold separately.

## **CLASSIC POLYFLOAT SHORT STRAIGHT**

FRA POLYV2C

- Length: 15 cm



## CLASSIC POLYFLOAT STANDARD STRAIGHT

FRA POLYV2

- Length: 32 cm



## **CLASSIC POLYFLOAT LONG STRAIGHT**

FRA GPOLYV2

- Weight (without burr): 856 g
- Length: 54 cm



### CLASSIC POLYFLOAT STANDARD CURVED TWIST

FRA\_POLYCV2

- Length: 32 cm



## **CLASSIC POLYFLOAT LONG CURVED TWIST**

FRA\_GPOLYCV2

- Weight: 856 g
- Length: 54 cm



Classic Polyfloat Burrs

The 14 HDE Polyfloat burrs benefit from a high quality diamond coating (± 900 horses). Diamond minimizes soft tissue damage.

The HDE range features 3 types of burrs:

## **CLASSIC APPLECORE BURRS**

Applecore burrs are ideally used for a work on overgrowths, especially on the 11th ( $\emptyset$ 14), 06<sup>s</sup> profiling (with the short straight Polyfloat) as well as final profiling. HDE offers a range of 6 burrs of different diameters and shapes.



FRA\_B14V2 Ø 14 mm



FRA\_B18V2 Ø 18 mm



FRA\_B22V2 Ø 22 mm



FRA\_FB14C Ø 14 mm



FRA\_FB18C Ø 18 mm



FRA\_FO Ø 16 mm

## **CLASSIC DECAY TREATMENT BURRS**

HDE offers 3 burrs of different sizes and shapes, specifically developed for decay treatments.



FRA\_COLV2 Length: 15 mm Ø 3 mm



FRA\_COCV2 Length: 9 mm Ø 3 mm



FRA\_BOV2 Ø 3 mm

## **CLASSIC DIASTEMA TREATMENT BURRS**

HDE offers 5 burrs of different sizes and shapes, for both lingual or vestibulary work.



FRA\_CYPC Length: 20 mm Ø 3 mm



FRA\_CYLV2 Length: 25 mm Ø 4.5 mm



FRA\_CYCV2 Length: 13 mm Ø 4.5 mm



FRA\_CYPL Length: 25 mm Ø 4 mm



FRA\_CYLV2W Length: 31 mm Ø 4.5 mm

## **Individual motorized profiling instruments**

**Compact Polyfloat Burrs** 

The 8 HDE Compact Polyfloat burrs benefit from a high quality diamond coating ( $\pm$  900 horses). Diamond minimizes soft tissue damage.

The HDE range features 3 types of burrs:

## NEW

## **COMPACT APPLECORE BURRS**



APPLECORE Ø14 FRA\_BD14FC



BUCCAL APPLECORE Ø18 FRA\_BBD18FC



OCCLUSAL FRA\_ODFC Ø 13 mm

## NEW

## **COMPACT DECAY TREATMENT BURR**



CONICAL LONG FRA\_COLDFC Length: 13 mm

## NEW

### **COMPACT DIASTEMA TREATMENT BURRS**



DIASTEMA SHORT FRA\_CPCDFC Length: 20 mm



DIASTEMA LONG FRA\_CPLDFC Length: 25 mm

## NEW

## **OTHER COMPACT BURRS**



REVERSE DISC 15° Ø36 FRA BD15D36FC



BUCCAL FRA\_BDFC

## **Compact vs Classic handpieces**

Thinner head for easier access in the back of the mouth



Thinner body for better visibility



More lightness for better handling and better ergonomics

## **CLASSIC**

The solution for routine dentistry

Flexxidisc CLASSIC







## **COMPACT**

The solution for advanced dentistry



**Flexxidisc** COMPACT



Polyfloat COMPACT

2 easy-to-clean handle options for Compact handpieces:

Standard: Stainless steel handle = 180 q Optional: Polymer handle = 44 g





## **Individual motorized profiling instruments**

11<sup>s</sup> Burrs

Those burrs are specially designed to work on the 11s. The compact, long and narrow head with a limited height (1 cm) facilitates an optimum access in the back of the mouth.

Different burr's lengths and shapes and 3 head protection options are available allowing you to design you own burr.

- The diamond coating allows to reduce easily the back hooks.
- Easy maintenance (no greasing necessary).
- Its rubber handle enables a perfect grip.

This instrument can not be sold without protection.



1 Choose the burr's length and shape

## STRAIGHT LONG 11<sup>s</sup> BURR

FRA\_F11D

Length: 56 cm

- Ø 9 mm



## **CONCAVE LONG 11<sup>s</sup> BURR**

FRA F11C

Length: 54 cm

- Ø 9 mm



### CONVEX LONG 11<sup>s</sup> BURR

FRA\_ F11CX

Length: 54 cm

- Ø 9 mm



## STRAIGHT SHORT BURR (FOR PONIES)

FRA\_FP

- Length: 43 cm
- Ø 9 mm



Specifically designed to treat ponies it has proven to be very useful on new world camelids as well.



Choose the burr's head protection





FRA\_COF11G



**CLOSED HEAD PROTECTION** 

FRA\_CFF11G



**WIDE CLOSED HEAD PROTECTION** 

FRA\_COLF11G

**Axis Burrs** 

## **MAXILLARY BURR**

FRA F1

- Length: 29 cm
- Ø 15 mm / 5 mm
- Used with or without extension
- 106 to 108 & 206 to 208:

Its cylinder shape allows fast & efficient profiling.

- 109 to 111 & 209 to 211:

Its conical shape eases access to narrow areas between cheek and tooth.

Its conical protection applied to the cheek avoids contact with soft tissues and guides the burr on the tooth...

## **MANDIBULARY BURR**

FRA\_F2

- Length: 28 cm
- Ø 20 mm
- Used with or without extension

- 306 to 308 & 406 to 408:

Its tapered sides ease access and 06s profiling.

- 309 to 311 and 409 to 411:

Its protection has been designed to reach molars at the back of the mouth without damaging soft tissues.

### **ANGLE BURR**

FRA\_F3

- Length: 15 cm
- Ø 16 mm
- Used without extension

This burr is very versatile. Thanks to the tapered part of its diamond head, it can be used:

- For the 06s
- On incisors and hooks

## **BOWL BURR Ø 20**

FRA\_F4

- Length: 15 cm
- Ø 20 mm
- Used without extension



Its round shape offers impressive comfort and ease for the profiling of the 06°.

## **Individual motorized profiling instruments**

### **DISC BURR**

FRA\_F5

- Length: 15 cm
- Ø 50 mm
- Burr thickness: 1 mm
- Protection thickness: 8 mm
- Used without extension

Used to reduce and realign incisor arcades.

## NEW

**CUTTING DISC BURR** 

FRA\_F5F

- Burr thickness: 1 mm
- Protection thickness: 8 mm
- Used without extension



**Axis Burrs** 

## 6<sup>s</sup> BURR

FRA\_F6C

- Length: 16 cm
- Ø 18 mm
- Used without extension

Its curve allows an easy 06s shaping.

Perfect for the profiling of important hooks, thanks to its large diamond coating diameter.



## **ERGONOMIC HANDLE FOR 6s OR ANGLE BURR**

FRA\_PAFBS

- Improves grip
- Very easy to install
- Fixing screw provided





This handle has been specially developed for practitioners looking for a better grip on their 06s (FRA\_F6C) or angle burr (FRA\_F3).

### **VESTIBULARY BURR**

FRA\_F6

- Length: 29 cm
- Ø 15 mm



Used with a slight opened mouth-opener it allows better comfort for the horse and the practitioner. Its less guarded protection allows a perfect working position.

### **ALVEOLAR BURR Ø 8**

FRA F4D8

- Length: 16 cm
- Ø 8 mm
- Used without extension



## **EXTENSIONS**

Accessories

Easy to set up, extensions make it possible to work without putting the hand in the horse's mouth while following the movement of the horse.

Recommended with the maxillary, mandibulary, vestibulary and medium Flexxidisc and Polyfloat burrs. 3 different versions are available.

## LONG EXTENSION

FRA\_EXTL

- Length: 28 cm
- Stainless steel



## STAINLESS BRUSH

- Fast and efficient cleaning of all diamond burrs
- Optional stainless steel holder

## STAINLESS STEEL BRUSH

ACC\_BNUE



## STAINLESS STEEL BRUSH WITH HOLDER

ACC\_BAS





## **Individual motorized profiling instruments**

HDE offers a range of instrument cases with a space dedicated for each piece of equipment.

## TROLLEY INSTRUMENT CASE

RAN\_MT

- High shock resistance
- Inner dimensions in cm (L x W x H): 52.1 x 28.7 x 19.1
- Outer dimensions in cm (L x W x H): 55.9 x 35.6 x 22.9
- Weight (empty): 5.2 kg

## NEW

## BLACK TROLLEY INSTRUMENT CASE RAN MT2

This case is specially conceived for the sectionning set.

- High shock resistance
- Inner dimensions in cm (L x W x H): 54.6 x 31.8 x 29.4
- Outer dimensions in cm (L x W x H): 60.5 x 39.4 x 33.6
- Weight (empty): 6.35 kg



## Instrument Cases



## **INSTRUMENT CASE**

RAN\_MALIV4

- Dedicated space for each piece of equipment
- Dimensions in cm (L x W x H): 53 x 43 x 22
- High shock resistant
- Weight (empty): 4.4 kg

## STANDARD INSTRUMENT CASE

RAN\_MALR

- Protective foam
- Polypropylene
- Dimensions in cm (L x W x H): 81 x 27 x 11
- Weight (empty): 2.5 kg



## POLYFLOAT BURR INSTRUMENT CASE

RAN\_MFP

- Protective foam
- Polypropylene
- Dimensions in cm (L x W x H): 23 x 19 x 6
- Weight (empty): 0.26 kg





## **EQUINE DENTALSCOPE**



30

## **Equine Dentalscope**

Made in Germany, HDE's Equine dentalscope enables a more thorough examination of the oral cavity & dental arcades and allow a better detection of dental pathologies.

## PRACTITIONER'S BENEFITS

- · Clear and precise diagnosis
- Better patient follow-up
- Additional service and value
- Develops horse owners understanding

## **CHARACTERISTICS**

- 3 monitoring options:
  - TV screen
  - Wireless USB connector for phone / tablet / computer (optional)
  - Wireless screen (optional)
- 692 mm total length
- Head dimensions: width 17mm x thickness 17,2mm
- Rounded head on top
- Stainless steel
- Weight: 360 g
- Camera: Video resolution: 704 x 576 pixels, PAL video system, 4 glass lenses, 70° angle view, 5.000 K led lighting
- Autonomy: 1 hour (fully charged)





Dentalscope



Charger



1.5 m video cable



Storage case



"Plug & Play"



Lightweight and portable



Sturdiness



Wireless options



Take clear pictures and videos



s Battery inside the dentalscope

## **Equine Dentalscope**

3 sets with different monitoring options to meet your specific requirements.

## **STARTER SET**

ACC\_CD

Dentalscope for connection to a display device with cable.



## STARTER SET + WIRELESS USB CONNECTOR

ACC\_CDUSB

Dentalscope with USB wireless connector for phone / tablet / computer.



## **STARTER SET + WIRELESS MONITOR**

ACC\_CDM

Dentalscope with a 10" monitor including recording system, micro-SD card and storage case.



## NEW

## RESIN APPLICATOR GUN FOR DENTALSCOPE

ACC\_PRCD




## **Equine Dentalscope**

## **SET OPTIONS OVERVIEW**

|  | Starter set | Starter set +<br>wireless USB<br>connector | Starter set +<br>wireless monitor |
|--|-------------|--|-----------------------------------|
| Dentalscope  | <b>~</b>    | <b>~</b>                                   | <b>~</b>                          |
| Charger  | <b>~</b>    | <b>~</b>                                   | <b>~</b>                          |
| Video cable (length: 1.5 m)                            | <b>~</b>    | <b>~</b>                                   | <b>~</b>                          |
| Storage and transportation case                        | <b>~</b>    | <b>~</b>                                   | <b>~</b>                          |
| USB connector + free software                          |             | <b>✓</b>                                   |                                   |
| 10" DVR viewing monitor + micro-SD card + storage case |             |  | <b>~</b>                          |

## **VIDEO PRESENTATION**

Scan the QR code to discover the equine dentalscope in video!



## **MANUAL RASPS**



34

## **Manual rasps**

## **DIAMOND CAUDAL RASP**

RAP\_CAU

- Abrasive material: diamond D852

- Total length: 57 cm

- Blade length: 50 mm

- Blade width: 28 mm

- Blade height: 3 mm

Rubber pistol handle for optimal grip.

Its narrow width allows easy access to the 11th caudal part.

## **DIAMOND "S" RASP**

RAP\_SDIA

- Length: 17 cm - Width: 2 cm

- Thickness: 0.5 cm

Essential for the finishing touch. With 2 different grains on one rasp.



- Length: 30 cm

- Width: 2.5 cm



A range of quality rasps which minimize soft tissue damages and make interventions easy.

## **FLOAT HANDLE** (without blade)

- 20 cm smooth rubber handle

- Easy to clean

- Titanium or tungsten carbide blades sold separtely

- Stainless steel



Stick-on blades





Straight incisor rasp - 30 cm 80 mm blade

B10

Premolar rasp, 20° angle - 43 cm 50 mm blade

35

B22

Straight lingual & buccal rasp - 63 cm 80 mm blade

B25

Upper back molar rasp (upturned head), 15° angle - 63 cm 50 mm blade

B26

**Blades and Inserts for Rasp Handles** 

## **TUNGSTEN BLADES**

REC\_V5TU - Tungsten carbide blade 50 mm (to screw) - Tungsten carbide blade 50 mm (to stick-on) REC\_C5TU - Tungsten carbide blade 80 mm (to screw) REC\_V8TU - Tungsten carbide blade 80 mm (to stick-on) REC\_C8TU

## **TITANIUM BLADES**

- Titanium blade 80 mm (to screw) REC\_V8TI



## TRIANGULAR INSERTS

REC\_T3TU - Tungsten insert for triangular rasp 3 grooves (unit) - Tungsten insert for triangular rasp 4 grooves (unit) REC T4TU - Titanium insert for triangular rasp 3 grooves (unit) REC\_T3TI - Titanium insert for triangular rasp 4 grooves (unit) REC\_T4TI



## Accessories

## **BAG FOR LONG RASP HANDLES**

RAP\_PRDL - Bag for long straight rasp 60 cm

- Bag for short straight rasp 56 cm RAP\_PRDC



## **STANDARD INSTRUMENT CASE**

RAN\_MALR

- Length: 81 cm
- Width: 27 cm
- Height: 11 cm
- Protective foam

Useful to carry and protect rasps.

## MANUAL RASP HOLDER

ACC\_SUPPR\*



## **STOMATOLOGY**



<sup>\*</sup> Product available while stocks last

Diagnostic Kit

## **DIAGNOSTIC KIT** KIT\_DIAG

- Anti-mist dental miror (lenght 47.5 cm, Ø 50 mm) with pouch
- Classic dental hook (47 cm)
- Cheek retractor
- Rinsing pistol 200 ml
- Stainless steel bucket 12 L











A kit including all essential tools to diagnose equine dental pathologies.

## **Stomatology**

## **BURGESS KIT WITH CUT OFF INSERTS**

## BUR\_KIT

- 4 inserts (Ø 6 mm, 8 mm, 10 mm, 12 mm)
- 1 handle
- 1 curved extension
- 1 straight extension
- 1 rod (inserts)
- 1 rod (extension)
- 1 Burgess instrument box



## **BURGESS KIT WITH CIRCULAR INSERTS**

## BUR\_KITF

- 4 inserts (Ø 6 mm, 8 mm, 10 mm, 12 mm)
- 1 handle
- 1 curved extension
- 1 straight extension
- 1 rod (inserts)
- 1 rod (extension)
- 1 Burgess instrument box



## **BURGESS KIT (to compose)**

BUR\_KITM

- 1 handle
- 1 curved extension
- 1 straight extension
- 1 rod (inserts)
- 1 rod (extension)
- 1 Burgess instrument box



Compose your own kit by choosing from the following inserts:

## **CIRCULAR INSERTS**

6 diameters (4 mm, 6 mm , 8 mm, 10 mm, 12 mm, 14 mm)



## **CUT OFF INSERTS**

4 diameters (6 mm, 8 mm, 10 mm, 12 mm)



40

## **Stomatology**

Wolf Teeth Extraction

## **MANDIBULARY WOLF** TOOTH ADAPTOR BUR\_ADB

Although mandibular wolf teeth are found very occasionally, this adaptor will help you to extract them easily and safely.





## LECLAIR KIT KIT\_EXT

- Wolf tooth elevator n°1
- Wolf tooth elevator n°2
- Straight elevator
- Bone curette 8 mm
- Gouge forceps 45° with spring
- Curved speculum 17 cm
- Curved speculum 45° open 20 cm
- Instrument box (25 x 15 x 5 cm)



Wolf Teeth Extraction

## **Stomatology**

Elevators

## **WOLF TOOTH ELEVATORS**

- 5 models: curved right, curved left and straight
- Stainless steel





42

## **WOLF TOOTH ELEVATORS**

- Length: 15 cm
- Stainless steel

## 3 vestibular elevators




STO\_EDL20V3.5



STO\_EDL20V5.5



STO\_EDL20V7.5





STO\_EDL20L3.5



STO\_EDL20L5.5



STO\_EDL20L7.5

Also available as a set of 6: STO\_S6EDL



Small Forceps

Horse Dental Equipment offers a wide range of stainless steel small forceps to meet your needs.

## **STRAIGHT FORCEPS CLOSED**

DAV\_DBF Length: 15 cm



## 90° FORCEPS **CLOSED** DAV\_C90BF

Length: 15 cm





Length: 17 cm



## 45° FORCEPS DAV\_C45BO

- Length: 20 cm
- Stainless steel

Its 45° head makes the wolf tooth extraction easy without soft tissue damage.

Its length guarantees optimal comfort during extraction.



Small Forceps

## **STRAIGHT FORCEPS OPEN**

DAV\_DBO Length: 15 cm



## 90° FORCEPS **OPEN**

DAV\_C90BO Length: 15 cm



44

## **ERGONOMIC FORCEPS**

DAV\_E30O

- Length: 30 cm
- Stainless steel



## **BONE CURETTE**

- Stainless steel
- Bone curette 6 mm STO\_CUR6
- Bone curette 8 mm STO\_CUR8
- Bone curette 10 mm STO\_CUR10





## **45° GOUGE FORCEPS**

STO\_PG45

Length: 20 cm



Its 45° angle makes access to the soft tissue around the wolf tooth easier. Allows not to be bothered by the lips nor by the mouth opener straps.

## **GOUGE FORCEPS**

STO\_PIN

Length: 16 cm



## **Stomatology**

Gouges & Curettes

## 15° GOUGE/ BONE RONGEUR FORCEPS STO\_PGD15

- Length: 24 cmStainless steel



## **30° GOUGE / BONE RONGEUR FORCEPS** STO\_PGD30

- Length: 23 cm
- Stainless steel





Gouges & Curettes

## **BONE RONGEUR**

STO\_GOU

- Length: 29 cm
- Head diameter: 10 mm



## **GOUGES**

- Stainless steel
- 2 types (straight and curved)
- 3 diameters: 6 mm, 8 mm, 10 mm

## **GOUGES STRAIGHT**



48

**GOUGES CURVED** 

## **Stomatology**

## **ALLIGATOR FORCEPS**

STO\_PA

- Length: 39.5 cm
- Pic length: 4 cm
- Stainless steel



Accessories

To extract food and teeth residue in interdental spaces.

## **DENTAL MIRROR WITH POUCH**

STO\_MI

- Length: 47.5 cm
- Diameter: 50 mm
- Angle: 25°
- Anti-mist mirror
- Stainless steel



## **DENTAL MIRROR - SMALL MODEL** STO\_MDD40

- Length: 41 cm
- Diameter: 44 mm
- Angle: 25°
- Anti-mist mirror
- Stainless steel



Pics & Sonds

## **Stomatology**


Pics & Sonds

## **DENTAL PIC**

- Length: 46.5 cm
- Height: 4 cm
- Width of the stainless steel handle: 8 cm

Its better grip gives more strength when rotating.

The handle acts like a visual and tactile cue while working in the horse's mouth.



## **DENTAL SOND**

- Length: 45 cm
- 2 models: left and right
- Ideal for preparing molar extractions
- Stainless steel

STO SOND



STO\_SONG

## **EXPLORER SOND**

## STO\_SE

- Allows to probe and diagnose periodontal tissues
- Total length: 41 cm
- Stainless steel



**Dental Hooks** 

## **CLASSIC DENTAL HOOK**

STO\_CD

- Very resistant
- Easy to disinfect
- Length: 47 cm
- Height of the hook: 2 cm
- Stainless steel

## **DENTAL HOOK - SMALL MODEL** STO\_CDF

- Total length: 41 cm
- Diameter of the hook: 2 cm
- Stainless steel





Allows to curette vestibular parts before extraction and to eliminate interdental residues.

Large forceps

## **CAPPS FORCEPS**

DAV\_DL

- Length: 40 cm
- Stainless steel



Its ergonomic handle and adjusted head ease the extraction of milk teeth.

## **MOLAR SPREADER**

DAV\_ESPI

- Length: 53.5 cm
- Stainless steel





52

This instrument loosens the molar to extract by leaning on the adjacent molars.

## **Stomatology**

Molar Forceps

## **MOLAR FORCEPS WITH SCREW**

DAV\_MV

- Total length: 53.5 cm
- Possible height: from 1.5 to 3.5 cm
- Stainless steel



Thanks to its adjustable screw which acts like a lever, this forceps ensures better comfort during molar extraction.

## **MOLAR FORCEPS WITHOUT SCREW**

DAV\_M

- Total length: 53.5 cm
- Stainless steel



## **FULCRUM**

- Length: 43 cm
- Stainless steel handle brass inserts

Fulcrums are used as a lever for the molar forceps.

- 2 different models



During extraction, the different sizes and shapes will help remove the molar without difficulty.

**Fragment Forceps** 

## **4-ROOT MOLAR FORCEPS**

DAV\_F4ML

Length: 53.5 cmWeight: 1.8 kgStainless steel

Easily extract molars thanks to its specially-designed angles.



## **3-ROOT MOLAR FORCEPS**

- Length: 53.5 cm - Weight: 1.8 kg

- 2 different models (right and left)

- Stainless steel



**ON-SIDE MODEL (RIGHT)** 

DAV\_F3B

OFF-SIDE MODEL (LEFT)
DAV\_F3BG





Its three-point grip is perfect for removing triangular fragments.

The side with the two points is positioned on the left or the right side of the tooth (depending on the forceps) and the other on the fractured side.

## 2-ROOT FRAGMENT FORCEPS

DAV\_F2M

Length: 53.5 cmWeight: 1.8 kgStainless steel



A forceps with 2 long teeth for small molars fragments.

The diameter and length of its teeth capture and remove fragments within the tooth socket.

Accessories

## **INSTRUMENT BOX**

ACC\_BI

- Dimensions in mm (L x W x H): 250 x 150 x 50

- Weight (empty): 0.7 kg

- Stainless steel



## WOLF TOOTH NERVE BLOCK SYRINGE - 25 cm \*

Syringe for cartridges 1.8 mlSyringe for cartridges 2.2 ml

ACC\_SAL251.8 ACC\_SAL25



Ideal for administering local anesthetic for nerve block prior to wolf tooth extraction. (Needle and local anesthetic not included)

## GENERAL / MANDIBULAR NERVE BLOCK SYRINGE - 40 cm \*

- Syringe for cartridges 1.8 ml

ACC\_SAL401.8

- Syringe for cartridges 2.2 ml

ACC\_SAL40



Ideal for administering mandibular local anesthetic for nerve blocking and general nerve block prior to extraction. (Needle and local anesthetic not included)

\* While stock lasts.

Accessories

## MOUTH-OPENERS & ACCESSORIES

## **MALLET**

STO\_M

- Length: 16 cm - Diameter: 4 cm

- Weight: 0.9 kg



## MALLET WITH INTERCHANGEABLE INSERTS

STO\_MEI

- Length: 17 cm - Diameter: 2.6 cm - Weight: 0.320 kg



## **SET OF 3 TREPHINES**

STO\_K3T

- 3 diameters: 19 mm, 22 mm, 25 mm

- Stainless steel



56



## **Mouth-Openers**

## **OPTIMUM MOUTH-OPENER** (without plates)

OB\_OPT

- Weight: 3.4 kg (with plates)

- Opening: 15.5 cm

- Biothane straps

- Stainless steel





Safety & comfort: 29 safety catches and wide arms ensure optimum comfort for the patient and practitioner.



## **Mouth-Openers**

**STANDARD MOUTH-OPENER** (without plates)

OB\_STA

- 6 safety catches
- Weight: 3 kgBiothane straps
- Stainless steel



Also suitable for young horses up to 2 years old.

## **PONY MOUTH-OPENER**

OB\_PON

- 5 safety catchesWeight: 2.3 kg
- Opening: 7 cm
- Biothane straps
- Stainless steel



## **PONY MOUTH-OPENER PLATES**

OB\_PLAP



## **Mouth-Openers**

## **WWE MOUTH-OPENER 605 4025 MATT FINISH**

OB\_MATT

- WWE Speculum
- -Sold with WWE plates and HDE biothane straps
- Opening : 6 safety catches
- -This is hardened tool grade stainless steel speculum
- Weight: 2.15 kg (without plates)



## WWE MOUTH-OPENER MILLENIUM 605 2000 (PLATES CAN BE SOLD SEPARATELY)

OB\_MILL

- WWE Speculum
- Sold with WWE plates and HDE biothane straps
- Opening : 29 safety catches
- Weight: 2.05 kg (without plates)



## **Mouth-Openers**

## **INCISOR MOUTH-OPENER**

OB\_INC

- Flexible PVC pipe
- Adjustable strap







- For incisor work
- Easy to install and very confortable for the horse

## LATERAL MOUTH-OPENER

OB\_LAT

- OB\_LAI
- Weight: 0.4 kg - Length: 30 cm
- Diameter of the nylon piece (small): 3.5 cm
- Diameter of the nylon piece (large): 4.5 cm



## **CHEEK RETRACTOR**

OB\_RJ

- Weight: 0.25 kg
- Height: 17 x 10 x 5 cm



For better visibility during diagnosis before and after the intervention.

## **Mouth-Openers**

Our plates can be used with Optimum & Standard mouth-openers - Stainless steel.

## **CLASSIC PLATES**



As for the arch spreader, these plates make work on the vestibular part easier.

## **INCISOR MALOCCLUSION PLATES**

**Standard** OB\_PLABC



Large OB\_PLABL



Large surface tooth plates for easy access on horses with incisor malocclusions.

## **INCISOR PLATES**

OB\_PLAI



62

**Accessories** 

## SURGICAL LAMP HEADLAMP WITH CARRYING CASE

ACC\_LCV3

- Autonomy up to 4 hours
- Rechargeable battery (charging time around 4 hours)
- Working distance: 420 mm
- LED: 3 W / 60 000 lx
- Luminous intensity: 5500 Kelvin
- LED lifetime (50 000 hours)
- Lamp's weight: 280 g
- Delivered in a carrying case



This surgical headlamp is easy to use, lightweight and wireless. Adjustable height and focusable lamp which ensures optimal lighting in the horse's mouth.

## **MAGNETIC LAMP**

OB\_LOBV5

- Integrated magnetic holder
- Enhanced connections
- Battery autonomy: 12 hours
- Light charge: 130 lx
- Angle: 170°



## **Accessories**

The Hydrojet II is the essential tool for every equine dental practitioner interested in a versatile instrument for the efficient flushing of diastemas as well as the rinsing of the mouth.



The Hydro jet II has been completely redesigned for easier work with several new smart features:



Fast & easy brass nozzle connectors



Curved rinsing nozzle



Water flow regulation from 0,75 to 1,5 liter/ minute



Rounded-off diastema tip



Battery level indicator



Battery moved on the top

## **CHARACTERISTICS:**

- Waterpressure: 7 bars
- · Battery usage time: 2 hours of continuous use
- Battery charging time: 1,5 2 hours
- The diastema nozzle is perfect for flushing diastemas and removing interdental food residues. Its length and shape allow easy access in the back of the mouth.
- The rinsing nozzle is for general mouth cleaning all along the different dental treatment stages. Its specific curved shape naturally fits the mouth.

## **Accessories**

## **RINSING PISTOL**

ACC\_PR200ML

- Capacity: 200 ml



## RINSING SYRINGE

ACC\_SERIN

- Capacity: 400 ml

ACC\_SR600ML

- Capacity: 600 ml



## STAINLESS STEEL BUCKET

ACC\_SI12L

- Capacity: 12 L
- Protective rubber layer on the bottom of the bucket
- Stainless steel



## **DENTAL PASTE**

STO\_PDD


- Dental paste for diastema filling
- Includes 2 components to mix



## **OSCILLATING HEAD STAND**

ACC STO

- Weight: 5.45 Kg
- Height min-max: 111-180 cm
- Width of the headrest: 50 cm
- Aluminum
- Washable and removable cover





Thanks to its oscillating system, the column follows the horse's moves, avoiding any risk of injury.

## **DENTAL CHART**

- 100 dental sheets (50 sheets of carbon paper)
- All necessary dental care on a detailed chart

French version: ACC\_BSDF English version: ACC\_BSDGB



## **«DENTISTERIE ÉQUINE» BOOK**

ACC\_LDE

66

- Authors: Holger Schlemper - Isabell Herold Tilman Simon

- Size: 21 x 30 cm - Pages: 184

Publication year: 2014Language: French

- Editor: "Point Vétérinaire - Collection Atlas"



## **Accessories**

## **PREMIUM MASK**

ACC\_KHM

- Kit including a mask and 3 rolls of 70 sheets for 100 days of filtration (change filter every 3 hours)
- Surgical quality protection
- Washable and reusable
- High performance filtration
- 3 μm --- 99.6 %\*
- 1 μm --- 99.3 %\*
- Optimum tightness and ergonomy



## PREMIUM PROTECTIVE KIT

ACC\_KHP

Protective kit including:

- Multi-compartment bag
- 2 Hydro-alcoholic gel 250 ml
- Protective face shield
- 4 Hydro-alcoholic spray 200 ml
- 5 masks washable up to 10 times at 60°C
- 6 5 clothes washable up to 50 times at 60°C



## STANDARD PROTECTIVE KIT

ACC\_KHS

Protective kit including:

- Multi-compartment bag
- 2 Hydro-alcoholic gel 250 ml
- 3 Hydro-alcoholic spray 200 ml
- 4 3 masks -washable up to 10 times at 60°C
- 5 Cloth washable up to 50 times at 60°C



## **Cleaning recommendations**

You have purchased quality professional equipment. Please find hereafter some advice on how to optimize its use and longevity.

### **CLEANING RECOMMENDATIONS**

- · Make sure each aspect of your equipment is always clean & dry before storage.
- HDE recommends at least 1 annual overhaul (or every 500 horses) of your complete equipment in an approved technical center\*.
- HDE does not cover damages caused by the use of bleach.
- Find all of our recommendations in our products' instruction manuals.



## **DIAMOND BURRS**

- 1 Start the engine with the handpiece attached.
- 2 Run it at high speed with the head pointing down to remove any remaining water.
- 3 Clean the diamond burr by running it over the HDE stainless steel brush.
- 4 Continue until the remains of dentine have completely disappeared.
- 5 Clean with a cloth moistened with clean water and a disinfectant.
- 6 Thoroughly dry with a clean, soft cloth.
- 7 Store the burr in its dedicated place within your clean, dry case.

The burr is resistant to water projection, do not fully immerse in water. Always use clean water without corrosive nor abrasive products. Only use the HDE stainless steel brush.

## **DRIVE SHAFT**

- 1 Clean the outside sheath with a damp sponge.
- 2 Dry thoroughly with a clean, soft cloth.
- 3 When finished working, detach the drive shaft from the engine and the handpiece.
- 4 Store the drive shaft in your clean, dry case.



Ensure not to bend the drive shaft in an excessive radius of curvature.



- 1 Turn off the engine before cleaning.
- 2 Clean the engine with a damp sponge.
- 3 Throroughly dry the engine with a clean, soft cloth.
- 4 Store the engine in your clean, dry case.

HDE recommends to use the engine at medium speed (speed 3).

## CASE

- 1 Clean the case with a damp sponge.
- 2 Thoroughly dry the case with a clean, soft cloth.
- 3 Store in a clean and well ventilated place.

Make sure the case is opened from time to time, to ensure your equipment is well ventilated.











ZI de Bellevue - 14 rue Blaise Pascal 35220 Châteaubourg FRANCE T + 33 (0) 299 007 129

www.horse-dental-equipment.com